

Homework 10: Fake

Due: Never

Readings: Sipser, Sections 8.1-8.4

Problem 1: (Sipser exercise 8.1) Show that for any function $f : N \rightarrow N$, where $f(n) \geq n$, the space complexity class $\text{SPACE}(f(n))$ is the same whether you define the class by using the single-tape TM model or the two tape read-only TM model.

Problem 2: The Japanese game *go-moku* is played by two players, “X” and “O”, on a 19×19 grid. Players take turns placing markers, and the first player to achieve 5 of his markers consecutively in a row, column or diagonal, is the winner. Consider this game generalized to an $n \times n$ board. Let

$GM = \{ \langle P \rangle \mid P \text{ is a position in generalized go-moku, where player “X” has a winning strategy} \}$.

By a *position*, we mean a board with markers placed on it, such as may occur in the middle of a play of the game. Show that $GM \in \text{PSPACE}$.

Problem 3: The proof of Savitch’s theorem, in Section 8.2, describes in general how one can simulate any $f(n)$ -space-bounded nondeterministic Turing machine N with an $f^2(n)$ -space-bounded deterministic Turing machine M . The key is a recursive computation of the CANYIELD relation, which reuses space.

Give a good upper bound on the *running time* of M on input w .

Problem 4: (Sipser 8.20) An undirected graph is *bipartite* if its nodes may be divided into two sets so that all edges go from a node in one set to a node in the other set. Show that a graph is bipartite if and only if it does not contain a cycle that has an odd number of nodes. Let

$\text{BIPARTITE} = \{ \langle G \rangle \mid G \text{ is a bipartite graph} \}$.

Show that $\text{BIPARTITE} \in \text{NL}$.