## Index

absorptance HT-54 absorption HT-57 adiabatic 0-5, 0-9 adiabatic efficiency see efficiency adiabatic flame temperature 2C-7 Biot number HT-30, HT-36 black body HT-56, HT-63 see also radiation blade *see turbine blade* Brayton cycle 1A-5, 1C-5, 2A-5 efficiency 1A-7, 1C-7, 2A-5 maximum work 1A-10 net work 2A-5 Breguet Range equation 2A-9 Carnot cycle 1A-3, 1C-1, 1C-4 efficiency 1A-4, 1C-2 two-phase 2B-8 coefficients of absorption *see absorptance* reflection *see reflectance* transmission see transmittance coefficient of performance 1A-12 combined First and Second Law 1B-5 composite slab see slab compressor adiabatic efficiency 2A-15 conduction HT-5, HT-26 heat flux HT-6 one-dimensional HT-7, HT-8, HT-14, HT-17,HT-26 continuum 0-1 control volume 0-12 see also first law for a control volume convection HT-5, HT-19, HT-26 heat transfer coefficient HT-20, HT-23 near a wall HT-26 convective heat transfer coefficient see convection COP see coefficient of performance critical point 2B-3 critical radius of insulation HT-30 cycle see thermodynamic cycle

cylindrical geometry see non-planar geometry Diesel cycle 2A-4 diffusivity HT-22 dissipation 1C-10 drag HT-24 efficiency adiabatic efficiency 1C-17, 2A-14, 2A-15 overall efficiency 2A-10 propulsive efficiency 2A-10 thermal efficiency 1A-2, 1A-4, 1A-7, 1C-2, 1C-7, 2A-2, 2A-5, 2A-8, 2B-14 emittance HT-57 energy 0-5 internal 0-5, 0-6, 0-7 kinetic 0-5 potential 0-5 enthalpy 0-6, 0-7 of formation 2C-4 entropy 1B-2, 1C-24 generated 1C-10, 1C-20 microscopic 1D entropy changes 1B-5, 1B-6, 1C-9 equilibrium 0-2, 0-3 extensive properties 0-1 fin HT-36 First Law of thermodynamics 1B-3 control mass 0-5 control volume 0-13, 0-14 steady flow 0-14 Fourier's law HT-7 free expansion 1A-14, 1B-9 fuel-air ratio 2A-12, 2C-2 Gibbs equation 1B-5 gray body HT-57, HT-59

heat 0-5 two-phase systems 2B-6 heat exchanger HT-24, HT-45 efficiency HT-52 heat flux HT-7 heat pumps 1A-11 heat reservoir heat transfer from 1B-7 heat transfer between two 1B-7 single 1B-8 heat sources HT-33 heat transfer coefficient see convection h-s diagram 1C-6 ideal gases 0-7 enthalpy 0-6, 0-7 entropy changes 1B-6 equation of state 0-7 internal energy 0-6, 0-7 specific heats 0-7, 0-8 see also specific heats insulated wall HT-12 intensive properties 0-1 internal energy see energy irreversibility 1A-12, 1C-8, 1C-24 isentropic efficiency see adiabatic efficiency isothermal process 1A-1, 1A-14, 1B-9, 1C-18 Kirchoff's law HT-57 lost work 1C-9, 1C-10, 1C-13 maximum work 1A-10, 1C-2

microscopic *see entropy* Newton's Law of cooling HT-20 non-planar geometry HT-14 cylindrical HT-14, HT-27, HT-30, HT-47, HT-65

spherical HT-17, HT-65

one-dimensional problem HT-34 *see also conduction* Otto cycle 2A-1 efficiency 2A-2 work produced 2A-3 overall efficiency *see efficiency*  phase 2B-1 planar geometry HT-7, HT-26, HT-59 Prandtl number HT-22 process 0-2 adiabatic 0-5 isothermal 1A-1, 1A-14 reversible 0-4, 1B-4 see also reversibility reversible and adiabatic 0-9 propulsive efficiency see efficiency quality 2B-5 quasi-equilibrium 0-3 quasi-steady heat transfer HT-14 radiation HT-5, HT-54 of a black body HT-54 ramjet 2A-6 efficiency 2A-8 fuel-air ratio 2A-12 specific impulse 2A-8, 2A-12 thrust 2A-7 Rankine cycle 2B-13 efficiency 2B-14 superheated 2B-16 reflectance HT-54 reflection HT-54, HT-57 refrigerators 1A-11 reversibility 0-4, 0-9, 1A-12, 1A-15, 1A-16, 1B-4, 1C-2, 1C-7, 1C-24 Reynolds analogy HT-20, HT-23, HT-25 saturated liquid 2B-3 saturated vapor 2B-3 saturation state 2B-1 Second Law of thermodynamics 1B-1, 1B-4 Combined with First Law 1B-5 shape factor HT-63 reciprocity relation HT-64 shear stress HT-20, HT-24 skin friction coefficient HT-23 slab HT-9, HT-16 composite HT-11 with heat sources HT-33 sources see heat sources specific heats 0-6, 0-7, 0-8, 0-9

specific impulse 2A-8, 2A-12 specific properties 0-1 spherical geometry *see non-planar geometry* stagnation state 1C-15 Stanton number HT-23 state *see thermodynamic state* state equation 0-3, 0-7 steady flow energy equation 0-14 steady heat transfer HT-8 *see also quasisteady* Stephan-Boltzmann constant HT-54 stoichiometric 2C-1 superheated Rankine cycle *see Rankine cycle* superheated vapor 2B-3

temperature distribution through a cylinder section HT-15 through a spherical geometry HT-18 temperature scale 1C-3 theoretical air 2C-1 thermal conductivity HT-7 thermal efficiency see efficiency thermal resistance circuits series HT-11, HT-12, HT-26 parallel HT-12 thermocouples HT-60 thermodynamic cycle 1A-2, 1C-19 Brayton cycle see Brayton cycle Carnot cycle see Carnot cycle combined cycle 2B-19 Diesel cycle see Diesel cycle Otto cycle see Otto cycle non ideal 2A-14 Rankine cycle see Rankine cycle thermodynamic properties 0-1, 0-2 extensive properties 0-1 intensive properties 0-1 specific properties 0-1 thermodynamic state 0-2, 0-3 thermodynamic system 0-2 closed system 0-1 simple system 0-2 throttle 0-9, 1C-14 thrust 2A-7 transient heat transfer HT-42 transmittance HT-54

T-s diagrams 1C-4 turbine adiabatic efficiency 1C-17, 2A-14 turbine blade HT-19 turbulent boundary layer HT-20 two-phase systems 2B heat transfer 2B-6 internal energy 2B-6 P-T diagram 2B-1 P-v diagram 2B-2 T-v diagram 2B-3 work 2B-6 unavailable energy 1C-11 vapor dome 2B-2, 2B-4 view factor see shape factor viscosity dynamic HT-20 kinematic HT-22 work 0-4, 1A-1 from a single heat reservoir 1B-8 isothermal process 1A-2, 1A-14 net work 2A-5, 2A-17 two-phase system 2B-6 Zeroth Law of Thermodynamics 1B-3