

Massachusetts Institute of Technology Dr. Kimberly L. Berkowski

5.13, Fall 2006 Organic Chemistry II

PRACTICE EXAM #3

Hour exam #3 will be held on Wednesday, November 15, from 12:05-12:55.

Location:

If your last name begins with A-L, report to 54-100. If your last name begins with M-Z, report to 2-190. A 10 point deduction for reporting to the wrong room.

Books, notes, and calculators will not be allowed during the exam.


Molecular model kits will be allowed during the exam. You will be given a periodic table and blank pages.

Material Covered on Exam #3:

- Everything presented in lecture related to Amines, Carboxylic Acids, and Carboxylic Acid Derivatives
- Recitation and Drill Problems
- Problem Sets 5 and 6
- McMurry Chapters 20, 21, 24
- All 5.12 material.

The answer key will be posted on Monday

1. Rank the following acyl derivatives based on their reactivity as electrophiles toward hydroxide ion (1 = most reactive, 5 = least reactive).




2. In the boxes, please provide the reagents for the illustrated transformations. More than one step may be required.

3. Please provide the requested products. If no reaction is expected, write "NR".

$$Na_2Cr_2O_7$$
 H_2SO_4
 $Na_2Cr_2O_7$

4. Please provide the requested reagents.



5. (12 points) Consider the labeling experiment outlined below:

 \emptyset = isotopically labeled oxygen (^{18}O)

a) Please provide the mechanism for the hydrolysis reaction shown above, including the pathway for incorporation of \emptyset into the acyl chloride.

b) What level of \emptyset incorporation ("high" or "low") you would expect to observe in the recovered acyl chloride? Explain briefly.

Very low incorporation of labeled Oxygen into acid unloide

CIE is a much better leaving group than OH

Hydrslysis will take place much faster than label incorporation $k_2 >> k_1$

c) Based on your answer to part b, do you think the results of this labeling study definitively prove the mechanism of this reaction? Explain briefly.

No. It is impossible to definitely prove a mechanism

Incorporation of the label is consistent with both SNZ

+ addition elimination mechanisms

Vame	

6. (12 points) The hydrolysis of a nitrile (A) to a carboxylic acid (C) involves initial formation of a primary amide (B). Provide a detailed mechanism for each the following transformations.

Name____

7. Provide a mechanism for the Hofmann elimination. Please show all arrow pushing.

8. Provide a synthesis that will *selectively* convert **A** to **B**. Show all of the key intermediates, and furnish all of the important reagents.

9. Provide syntheses for the following compounds. All of the carbons in the target molecules should be derived from the allowed starting materials. You may use any common reagents.