6.002 Demo# 19 Crosstalk Lectures 13 and 25

Agarwal Fall 00

Purpose: This demo shows the capacitive coupling between signals on two separate wires in proximity. It is used as a case where 6.002 abstractions are violated. The coupling can be modeled as a capacitor, but the effect is due to physical implementation, not the design.

Steps:

- 1. With a sine wave applied to one circuit, and a square wave to the other, note on the scope the "spikes" riding on the sine wave circuit output, corresponding to the transitions in the square wave.
- 2. Remove the spikes from the sine wave output by switching the square wave to a triangle wave.



Description: Crosstalk demonstration

See schematic diagram next page for more detail

Oscilloscope Setup

СН	V/DIV	OFFSET	MODE	FUNC	MATH	V	ERTICAL	HORIZONTAL	
1 on	5	-13.31	DC	off					
2 on	2	-80 mV	V DC	off					
3 off	0		DC	off					
4 on	1	2.3	DC	off					
Horizon	tal: 200 u	is Acqu	uisition:	AUTO	AUTO	4		Trigger:	CH2

Cite as: Anant Agarwal and Jeffrey Lang, course materials for 6.002 Circuits and Electronics, Spring 2007. MIT OpenCourseWare (http://ocw.mit.edu/), Massachusetts Institute of Technology. Downloaded on [DD Month YYYY].

