

---

## Problem Set 6

**Due:** In class on Wednesday, March 31. Starred problems are optional.

**Problem 6-1.** A comparison network with  $n$  inputs and  $r$  comparators can be described as a list  $(i_1, j_1), (i_2, j_2), \dots, (i_r, j_r)$ , where  $1 \leq i_q, j_q \leq n$  for  $q = 1, 2, \dots, r$ . The list represents a topological sort of the comparators, where each ordered pair  $(i_q, j_q)$  stands for a comparison between the elements on lines  $i_q$  and  $j_q$ , with the minimum being output on line  $i_q$  and the maximum on line  $j_q$ .

- (a) Give an efficient algorithm for determining the depth of a comparison network so described. (*Hint:* You can't just count the maximum number of comparators incident on a line.)

Define a comparison network as *standard* if  $i_q < j_q$  for  $q = 1, 2, \dots, r$ .

- (b) Give an algorithm to convert a comparison network with  $n$  inputs and  $r$  comparators into an equivalent standard comparison network with  $n$  inputs and  $r$  comparators.
- (c) Prove or give a counterexample: For any standard sorting network, if a comparator  $(i, j)$ , where  $i < j$ , is added anywhere in the network, the network continues to sort.

**Problem 6-2.** A comparison network is a *transposition network* if each comparator connects adjacent lines. Intuitively, a transposition network represents the action over time of a linear systolic array making oblivious comparison exchanges between adjacent array elements.

- (a) Show that if a transposition network with  $n$  inputs actually sorts, then it has  $\Omega(n^2)$  comparators.
- (b) Prove that a transposition network with  $n$  inputs is a sorting network if and only if it sorts the sequence  $\langle n, n-1, \dots, 1 \rangle$ .

**Problem 6-3.** Give an algorithm for sorting  $N^3$  elements on an  $N \times N \times N$  mesh in  $O(N)$  time.