

MIT OpenCourseWare

<http://ocw.mit.edu>

Electromechanical Dynamics

For any use or distribution of this textbook, please cite as follows:

Woodson, Herbert H., and James R. Melcher. *Electromechanical Dynamics*. 3 vols. (Massachusetts Institute of Technology: MIT OpenCourseWare). <http://ocw.mit.edu> (accessed MM DD, YYYY). License: Creative Commons Attribution-NonCommercial-Share Alike

For more information about citing these materials or our Terms of Use, visit: <http://ocw.mit.edu/terms>

INDEX

Numbers preceded by letters are Appendix references. Appendices A, B, and C are in Part One; Appendices D and E, Part Two; and Appendices F and G, Part Three.

- Acceleration, centrifugal fluid, 729
 - centripetal, 59
 - Coriolis, 59
 - Eulerian variable, 727
 - fluid, 727
 - instantaneous, 45
- Accelerator, electric field, 776
 - MHD, 825
 - particle, 608
- Acoustic delay lines, 480
- Acoustic waves, compressional in solid, 673
 - dilatational in solid, 673
 - elastic media, 671
 - fluid, 544
 - gases, 845
 - guided, 679, 683, 693
 - magnetic fields and, 846
 - membrane, 509
 - shear elastic, 675
 - string, 509
 - thin beam, 683
 - thin rod, 487, 681
- Acyclic machine, 286
- Air-gap magnetic fields, 114
- Alfvén velocity, 763
- Alfvén waves, 759
 - compressible fluids and, 841
 - cylindrical geometry, 767
 - effect of conductivity on, 772
 - mechanical analogue to, 766
 - nature of, 764
 - numerical example of, 771
 - resonances and, 771
 - standing, 771
 - torsional, 765
- Amortisseur winding, 164
- Ampère, 1
- Ampère's law, B6, C3, E3, G3
 - dynamic, B9
 - electromechanical, 304
 - example of, B7
 - integral form of, B36, C3, E3, G3
 - magnetization and, B26
- Amplifying wave, coupled system and, 608
 - electric field induced, 605
 - evanescent wave and, 607
 - space-time behavior of, 604, 606
- Angular frequency, 513
- Angular momentum, 248
- Angular velocity, 47
- Applications of electromechanics, 2
- Approximations, electromechanical, 206
- Armature, ac machine, 120
 - dc machine, 141, 293
- Armature reaction, 297
- Astrophysics and MHD, 552
- Attenuation, microwave, 561
- Average power converted, salient pole machine, 155
 - smooth-air-gap machine, 124
- Beats in space, 595
- Bernoulli's equation, 738
 - example of, 752
- Bessel functions, 408
 - roots of, 409
- Bias, linear transducer operation and, 201
- piezoelectricity and, 711
- Bode plot, 206
- Boundary, analytic description of, 269, 668
 - examples of moving, 269, 276, 279, 280, 364, 392, 397, 451, 460, 563, 574, 605, 627, 704, 783
 - moving, 267
 - well defined, 267
- Boundary condition, Alfvén waves, 769
- causality and, 491, 592, 607
- conservation of charge, 279, 374, 376, 394, 399
 - convection and, 267, 587, 598
 - dispersion and, 618
 - elastic media, 671, 676
 - electric displacement, 278
 - electric field intensity, 275, 278
 - electric field systems, 277, E6, G6
 - electromagnetic field, 267
 - electromechanical, 668
 - field transformations and, 275
 - geometric effect of, 280
 - initial condition and, 513
 - inviscid fluid, 752
 - inviscid fluid slip, 740
 - longitudinal and transverse, 680
 - magnetic field intensity, 273, 280
 - magnetic field systems, 270, E6, G6
 - magnetic field system current, 272
 - magnetic fluid, 774
 - magnetic flux density, 271
 - MHD, 769
 - motion and, 267, 491, 587, 592, 598, 607
 - string and membrane, 522
 - summary of electromagnetic, 268, E6, G6
 - thin rod, 493
 - viscous fluid, 873
- Boundary layer dynamics, 602
- Brake, induction, 134
 - MHD, 744
- Breakdown, electrical, 576, 782
- Breakdown strength of air, 576

- Brush, dc machine, 292
 - liquid-metal, 316, 878
 - metal-graphite, 883
- Bullard's equation, 336
- Cables, charge relaxation in high voltage, 380
 - nonuniform conductivity in, 380
- Capability curve of synchronous generator, 170
- Capacitance, electrical linearity and, 30
 - example for calculation of, 32, 33
 - generalized, 28
 - quasi-static limit and, B18
- Causality, boundary conditions and, 592, 607
 - condition of, 491, 592, 607
- Center of mass, 46
- Channel, variable-area MHD, 751
- Characteristic dynamical times, excitation and, 332
 - material motion and, 332
- Characteristic equation, 181
- Characteristics, wave fronts and, 618
 - wave propagation and, 488, 490
 - waves with convection and, 586
- Charge, B1
 - conservation of, B5
 - net flow and flow of net, B6
 - test, 12
 - total, 29
- Charge-average velocity, B5
- Charge carriers, effect of motion on, 290
- Charge conservation, differential form of, B5
 - integral form of, B5
- Charge density, B1
 - effect of motion on, 290, 334, 382, 387, 388, 392, 397, 401
 - free, 7, B28
 - magnetic field system and, 288
- Charge distribution, effect of motion on, 334, 382, 387, 388, 392, 397, 401
- Charge relaxation, 330, 370
 - electrical transient, 372
 - examples of, 372, 375
 - excitation frequency and, 378, 400
 - frequency in frame of material and, 399
 - general equation for, 371
 - lumped-parameter models for, 331, 375
 - magnetic diffusion and, 401
 - motion sinusoidal excitation with, 392
 - moving frame and, 381
 - nonuniform properties and, 378
 - sources of charge and, 372
 - spatially and temporally periodic fields and, 397
 - steady motion and, 380
 - thunder storms, and, 388
 - traveling wave in a moving material and, 397
 - uniform properties and, 372
- Choking, constant area flow, 824
- Circuit breaker, transducer for a, 22
- Circuit theory, 16
- Coefficient, of sliding friction, 42
 - of static friction, 42
- Coefficients of viscosity, independence of, 870
- Coenergy, 73, E5, G5
 - electrical linearity and, 76
 - potential well motions and, 217
- Coenergy density, electric field system, 464, 714
 - magnetic field system, 456
- Collector rings, 120
- Commutation in dc machines, 296
- Commutator, 140
 - of dc machines, 292
- Commutator bars, 142
- Commutator machines, 140
 - ac generator, 329
 - brake operation of, 306
 - compound wound, 310
 - electrical power input of, 303
 - equation for armature of, 300
 - equation for field of, 297
 - equation of motion for, 297
 - generator operation of, 306
 - linear amplifier, 304
 - mechanical power output of, 303
 - motor operation of, 306
 - operation with alternating currents and, 312
 - properties of, 303
 - separately excited, 306
 - series excitation of, 309
 - shunt excitation of, 309
 - speed curves of, shunt excited, 310
 - speed regulation of, 307
 - summary of equations for, 303
 - torque-current curves of series excited, 311
 - torque-speed curves of shunt excited, 310
 - transient performance of, 306
- Compensating networks, 198
- Compensation in feedback loops, 198
- Compressibility constant, 845
- Compressibility of fluid, 725
- Compressible fluids, 813
 - electromechanical coupling to, 820
- Conduction, electrical, 7, B30
 - in electric field system, effect of motion on, 371
 - heat, 815
 - motion and electrical, 284, 289
- Conduction current, B6
 - absence of net free charge and, 374
- Conduction machine, MHD, 740
 - variable area, MHD, 753
 - see also* Commutator machine; DC machines
- Conductivity, air and water, 388
 - electrical, 7
 - electrical surface, 7
 - mechanical strength and, 698
 - nonuniform, 380
 - numerical values of, 345, 377
- Conductor, electric field perfect, 29, 213,

- 390, 400, 401
- magnetic field perfect, 18, 211, 223, 354, 401, 563
- Confinement, electromechanical, 4, 407
- Conservation, of charge, B5
 - displacement current and, B9
 - integral form of, B37
- of energy, 63, 66
 - continuum, 456, 464
 - continuum coupling and, 455
 - equation, steady state, 820
 - fluid, 814
 - incompressible fluid, 757
 - integral form of, 819
- of flux, lumped-parameter, 211, 220
- perfectly conducting fluid and, 761
- of mass, differential law of, 731
 - example of, 730
 - fluid, 729, 814
 - integral form of, 730
- of momentum, fluid, 731, 814
 - integral form of, 733, 734
 - interfacial, 671
 - stress and, 733
- Conservative systems, 213
- Constant charge dynamics, 205, 213
- Constant-current constant-flux dynamics, 220
- Constant-current constraint, continuum, 628
- Constant-current dynamics, 220
- Constant flux, lumped and continuum, 212
- Constant flux dynamics, fluid, 761
 - lumped-parameter, 211, 220
- Constant of the motion, fluid, 738
- Constant voltage dynamics, 204, 212, 226
- Constituent relations, electromagnetic, 283, B25
 - fluid, 815
 - fluid mechanical, 735
 - materials in motion and, 283
 - moving media in electric field systems and, 289
 - moving media in magnetic field systems and, 284
- Constitutive law, mobile ion, 778
 - piezoelectric slab, 712
- Contact resistance, MHD, 750
- Contacts, sliding, 42
- Continuity of space, 35
- Continuum and discrete dynamics, 553
- Continuum descriptions, 727
- Continuum electromechanical systems, 251
- Contour, deforming, 11, B32
- Control, dc machines and, 291
- Controlled thermonuclear reactions, 354
- Convection, dynamical effect of, 584
 - and instability, 593
- Convection current, B6
- Convective derivative, 259, 584
 - charge relaxation and, 381
 - example of, 729
 - magnetic diffusion and, 357
 - see also* Substantial derivative
- Convective second derivative, 585
- Coordinate system, inertial, 254
- Corona discharge, 776, 782
- Corona wind, demonstration of, 782
- Couette flow, plane, 876
- Coulomb's law, B1
 - point charge, B2
- Coupling, electromechanical, 15, 60
- Coupling to continuous media at terminal pairs, 498
- Coupling network, lossless and conservative, 63
- Creep, failure in solids by, 704
- Critical condition for instability, 568
- Crystals, electromechanics of, 651
 - piezoelectric materials as, 711
- Current, balanced two-phase, 113
 - conduction, B6
 - convection, B6
 - displacement, B9
 - electric field system, 29
 - free, B25
 - magnetization, B25
 - polarization, B29
- Current density, B5
 - diffusion of, 343
 - distribution of, 332
 - free, 7
- Current law, Kirchhoff's, 16
- Currents as functions of flux linkages, 26
- Current transformation, examples of, 226
- Cutoff condition, 559
- Cutoff frequency, 559
 - elastic shear waves, 695
 - membrane, 623
- Cutoff waves, 556
 - electromagnetic plasma, 638
 - membrane, 623
 - power flow and, 637
 - thin beam, 684
 - see also* Evanescent wave
- Cyclic energy conversion processes, 79
- Cylindrical coordinates, stress components in, 437
- Cylindrical modes, 648
- Damped waves, driven response of, 577
- Damper, linear ideal, 40
 - lumped element, 36, 40
 - square-law, 43, 229
- Damper winding in rotating machine, 164
- Damping, magnetic fluid, 750
 - negative, 198
 - spatial decay and, 560
 - wave dynamics with, 576
- Damping constant, 41
- Damping frequency, 577
- DC generator, magnetic saturation in, 310
 - self-excited, 310
- DC machines, 140; *see also* Commutator machines
- DC motor, self-excited, 308
 - series excited, 311

- starting torque of, 310
- torque-speed curves for, 306
- Definitions, electromagnetic, 7, B1
- Deforming contours of integration, 10, 18, 262, B32, 761
- Degree of freedom, 49
- Delay line, acoustic, 480
 - acoustic magnetostrictive, 708
 - fidelity in, 501
 - mechanical, 499
 - shear waves and, 696
- Delta function, B2
 - Kronecker, 421
- Derivative, convective, 259, 584, 726
 - individual, 728
 - particle, 728
 - Stokes, 728
 - substantial, 259, 584, 728
 - total, 728
- Dielectrophoresis, 783
- Difference equation, 620
- Differential equation, order of, 180
 - linear, 180
- Differential operators, moving coordinates and, 257
- Diffusion, magnetic, 576
 - magnetic analogous to mechanical, 580
 - of magnetic field and current, 335
- Diffusion equation, 337
- Diffusion time constant, 341
 - numerical values of, 344
- Diffusion wave, magnetic, 358
 - picture of, 581
 - space-time behavior of, 359
- Dilatational motion of fluid, 866
- Direction cosines, definition of, 435
 - relation among, 439
- Discrete systems, electromechanics of, 60
- Discrete variables, mechanical, 36
 - summary of electrical, 35
- Dispersion equation, absolutely unstable wire, 567
 - Alfvén wave, 769
 - amplifying wave, 602
 - convective instability, 602
 - damped waves, 577
 - elastic guided shear waves, 695
 - electron oscillations, 601
 - evanescent wave, 557
 - kink instability, 629
 - magnetic diffusion with motion, 357
 - membrane, 623
 - moving wire destabilized by magnetic field, 602
 - moving wire stabilized by magnetic field, 596
 - ordinary waves, 513
 - with convection, 594
 - on wire, 555
 - on wires and membranes, 513
 - resistive wall interactions, 609
 - sinusoidal steady-state, and 514
 - wire with convection and damping, 609
- Displacement, elastic materials, 486
 - elastic media, 652
 - lumped parameter systems, 36
 - one-dimensional, 483
 - relative, 657
 - and rotation, 657
 - and strain, 658
 - transformation of, 659
 - translational, 657
- Displacement current, B9
- Displacement current negligible, B19
- Distributed circuits, electromechanical, 651
- Divergence, surface, 272
 - tensor, 422, G9
 - theorem, B4, C2, E2, G2, G9
- Driven and transient response, unstable system, 569
- Driven response, one-dimensional continuum, 511
 - unstable wire, 568
- Driving function, differential equation, 180
 - sinusoidal, 181
- Dynamics, constant charge, 205, 213
 - constant current, 220
 - constant flux, 211, 220
 - constant voltage, 204, 212, 226
 - lumped-parameter, 179
 - reactance dominated, 138, 211, 220, 242, 336, 354, 368, 563
 - resistance dominated, 138, 209, 233, 242, 336, 354, 368, 503, 583, 611
 - two-dimensional, 621
- Dynamics of continua, $x-t$ plane, 488, 586
 - $\omega-k$ plane, 511, 554
- Dynamo, electrohydrodynamic, 388
- Eddy currents, 342, 628
- Efficiency of induction machine, 134
- EHD, 3, 552, 776
- EHD pump, demonstration of, 783
- Eigenfrequencies, 518
 - electromechanical filter, 707
 - magnetic field, shift of, 562
 - not harmonic, 563, 684
 - wire stiffened by magnetic field, 562
- Eigenfunction, 518
- Eigenmode, 517
 - complex boundary conditions and, 533
 - orthogonality of, 341, 519, 520
- Eigenvalues, 518
 - dispersion and, 562
 - graphic solution for, 526
 - kink instability, 630
- Elastic beam, resonant circuit element, 688
- Elastic constants, independence of, 664
 - numerical values of, 486
- Elastic continua, 479
- Elastic failure, example of electromechanical, 701
- Elastic force density, 667
- Elastic guiding structures, 693
- Elasticity, summary of equations of, 666, 668
- Elasticity equations, steps in derivation of, 651

- Elastic material, ideal, 485
 - linear, 485
- Elastic media, 651
 - electromechanical design and, 697
 - electromechanics of, 696
 - equations of motion for, 653
 - quasi-statics of, 503
- Elastic model, membrane, 509
 - thin rod, 480
 - wire, 509
- Elastic waves, lumped mechanical elements and, 507
 - shear, 543
 - thin rod, 543
 - see also* Acoustic waves
- Electrical circuits, 16
- Electric displacement, 7, B28
- Electric field, effect of motion on, 334, 382, 387, 388, 392, 397, 401
- Electric field coupling to fluids, 776
- Electric field equations, periodic solution to, 281
- Electric field intensity, 7, B1
- Electric field system, B19
 - differential equations for, 8, E3, G3
 - integral equations for, 11, E3, G3
- Electric field transformation, example of, 262
 - Faraday's law and, 262
- Electric force, field description of, 440
 - fluids and, 776
 - stress tensor for, 441
- Electric force density, 418, 463
- Electric Reynolds number, 335, 370, 381, 383, 395, 399, 401, 575, 780
 - mobility model and, 780
- Electric shear, induced surface charge and, 400
- Electric surface force, 447
- Electrification, frictional, 552
- Electroelasticity, 553
- Electrogasdynamics generator, 782
- Electrohydrodynamic orientation, 785
- Electrohydrodynamic power generation, 782
- Electrohydrodynamics, 3, 552, 776
- Electrohydrodynamic stabilization, 786
- Electromagnetic equations, differential, 6, B12, B19, E3, G3
 - integral, 9, B32, E3, G3
 - quasi-static, 5, B19, B32, E3, G3
 - summary of quasi-static, 13, E3, G3
- Electromagnetic field equations, summary of, 268, E6, G6
- Electromagnetic fields, moving observer and, 254
- Electromagnetic theory, 5, B1
 - summary of, 5, E6, G6
- Electromagnetic waves, B13
 - absorption of, B25
- Electromechanical coupling, field description of, 251
- Electromechanics, continuum, 330
 - of elastic media, 651
 - incompressible fluids and, 737
 - lumped-parameter, 60
- Electron beam, 4, 552, 600, 608
 - magnetic field confinement of, 601
 - oscillations of, 600
- Electrostatic ac generator, 415
- Electrostatic self-excited generator, 388
- Electrostatic voltmeter, 94
- Electrostriction, incompressibility and, 784
- Electrostriction force density, 465
- Elements, lumped-parameter electrical, 16
 - lumped-parameter mechanical, 36
- Energy, conservation of fluid, 814
 - electrical linearity and, 76
 - electric field system conservation of, 66
 - internal or thermal gas, 813
 - internal per unit mass, 815
 - kinetic per unit mass, 815
 - magnetic field system conservation of, 63
 - magnetic stored, 64
 - potential and kinetic, 214
- Energy conversion, cyclic, 79, 110
 - electromechanical, 79
 - lumped-parameter systems, 79
- Energy density, B23
 - equal electric and magnetic, B24
- Energy dissipated, electromagnetic, B22
- Energy flux, B22
- Energy function, hybrid, 220
- Energy method, 60, 450, E5, G5
- Energy relations, summary of, 68, E5, G5
- Enthalpy, specific, 820
- Equation of motion, elastic media, 668
 - electromechanical, 84
 - examples of lumped-parameter, 84, 86
 - incompressible, irrotational inviscid flow, 738
 - linearized, 183
 - lumped mechanical, 49
- Equilibrium, of continuum, stability of, 574
 - dynamic or steady-state, 188
 - hydromagnetic, 561
 - kink instability of, 633
 - potential well stability of, 216
 - static, 182
- Equipotentials, fluid, 752
- Eulerian description, 727
- Evanescence with convection, 596
- Evanescence wave, 556
 - appearance of, 559
 - constant flux and, 563
 - dissipation and, 560
 - elastic shear, 695
 - equation for, 557
 - example of, 556
 - membrane, 560, 623
 - physical nature of, 560
 - signal transmission and, 639
 - sinusoidal steady-state, 558
 - thin beam, 684
- Evil, 697
- Failure in solids, fatigue and creep, 704
- Faraday, 1

- Faraday disk, 286
 Faraday's law, B9
 deforming contour of integration and, 262,
 300, 315, 565, B32, E3, G3
 differential form, 6, B10, E3, G3
 example of integral, 262, 276, 286, 297,
 315
 integral form of, B10, B32
 perfectly conducting fluid and, 761
- Fatigue, failure in solids by, 704
- Feedback, continuous media and, 548
 stabilization by use of, 193
- Ferroelectrics, B29
 piezoelectric materials and, 711
- Ferrohydrodynamics, 552, 772
- Field circuit of dc machine, 141
- Field equations, moving media, generalization
 of, 252
- Fields and moving media, 251
- Field transformations, 268, E6, G6;
see also Transformations
- Field winding, ac machine, 120
 dc machine, 293
- Film, *Complex Waves I*, xi, 516, 559, 571,
 634
- Film, *Complex Waves II*, xi, 573, 606
- Filter, electromechanical, 2, 200, 480, 704
- First law of thermodynamics, 63
- Flow, Hartmann, 884
 irrotational fluid, 737
 laminar, 725
 turbulent, 725
- Flowmeter, liquid metal, 363
- Fluid, boundary condition for, 725
 boundary condition on, inviscid, 752
 compressibility of, 725
 effect of temperature and pressure on, 724
 electric field coupled, 776
 electromechanics of, 724
 ferromagnetic, 552, 772
 highly conducting, 760
 incompressible, 724, 735
 inhomogeneous, 735
 internal friction of, 724
 inviscid, 724, 725
 laminar and turbulent flow of, 725
 magnetic field coupling to incompressible,
 737
 magnetizable, 772
 Newtonian, 861
 perfectly conducting, 563
 solids and, 724
 static, 735
 viscous, 861
- Fluid dynamics, equations of inviscid com-
 pressible, 813
 equations of inviscid, incompressible, 726
 equations of viscous, 871
- Fluid flow, accelerating but steady, 753
 around a corner, 751
 potential, 751
 unsteady, 746
 variable-area channel, 751
- Fluid-mechanical examples with viscosity,
 875
- Fluid orientation systems, 785
- Fluid pendulum, electric-field coupled, 784
 magnetic damping of, 750
- Fluid pump or accelerator, 776
- Fluid stagnation point, 752
- Fluid streamlines, 752
- Fluid transformer, variable-area channel
 as, 756
- Flux amplification, plasmas and, 354
- Flux conservation, lumped-parameter, 211,
 220
 magnetic fields and, 352
 perfectly conducting gas and, 849
- Flux density, mechanical amplification of,
 354
- Flux linkage, 19, E4, G4
 example of, 22, 23
- Force, charge, B1
 derivative of inductance and, 453
 electric origin, 67, E5, G5
 electromagnetic, 12
 field description of, 418
 fluid electric, 776
 Lorentz, 12, 255, 419
 magnetic, B6
 magnetization with one degree of free-
 dom, 451
 physical significance of electromagnetic,
 420
 polarized fluids, 463, 572, 784
 single ion, 778
 surface integral of stress and, 422
- Force-coenergy relations, 72, E5, G5
- Force density, 7
 averaging of electric, 440
 averaging of magnetic, 419
 divergence of stress tensor and, 422,
 427, G9
 effect of permeability on, 455, 456
 elastic medium, 667
 electric, 12, B3, 440, G11
 magnetic field systems, 419, 462, G11
 electromagnetic fluid, 732
 electrostriction, 465, G11
 fluid mechanical, 732
 fluid pressure, 736
 free current, 419, G11
 inviscid fluid mechanical, 737
 lumped parameter model for, 455
 magnetic, 12, 419, B9
 magnetization, 448, 450, 462, G11
 magnetostriction, 461, 462, G11
 polarization, 450, 463, G11
 summary of, 448, G11
- Forced related to variable capacitance, 75
- Force-energy relations, 67, E5, G5
 examples of, 70
- Force equations, elastic media, 653
- Force of electric origin, 60, E5, G5
- Fourier series, 340
- Fourier transform, two-dimensional, 617
- Fourier transforms and series, diffusion

- equation and, 340
- eigenmodes as, 517
- linear continuum systems and, 511, 554, 617
- linear lumped systems and, 200
- mutual inductance expansions and, 108, 153
- Frame of reference, laboratory, 254
- Free-body diagram, 49
- Free charge density, B28
- Free charge forces, avoidance of, 787
- Frequency, complex, 181, 554
 - complex angular, 554
 - natural, 181, 515
 - voltage tuning of, 704
- Frequency conditions for power conversion, 111, 155
- Frequency response of transducer, 204
- Friction, coulomb, 42
- Frozen fields, perfectly conducting gas and, 849
- Fusion machines, instability of, 571
- Galilean transformation, 584
- Gamma rays, B13
- Gas, perfect, 816
- Gas constant, 816
 - universal, 816
- Gases, definition of, 724
 - ionized, 813
- Gauss's law, differential form of, B5
 - example of, B4
 - integral form of, B3
 - magnetic field, B12
 - polarization and, B28
- Gauss's theorem, tensor form of, 423, G9
- Generators, electric field, 778
 - electrohydrodynamic applications of, 3
 - hydroelectric, 152
 - induction, 134
 - magnetohydrodynamic applications of, 3
 - MHD, 744
 - Van de Graaff, 3, 383, 385
- Geometrical compatibility, 53
- Geophysics and MHD, 552
- Gravitational potential, 733
- Gravity, artificial electric, 785
 - force density due to, 732
 - waves, 794
- Group velocity, 614
 - power flow and, 638
 - unstable media and, 617
- Guiding structures, evanescence in, 560
- Hartmann flow, 884
- Hartmann number, 887
- Heat transfer, EHD and, 552
- Homogeneity, B27
- Homogeneous differential equation, solution of, 180
- Homopolar machine, 286, 312
 - armature voltage for, 314
 - speed coefficient for, 314
 - summary of equations for, 316
 - torque for, 316
- Hunting transient of synchronous machine, 192
- Hydraulic turbine, 151
- Hydroelectric generator, 152
- Hydromagnetic equilibria, 561, 571
- Hysteresis, magnetic, B27
- Identities, C1, E1, G1
- Impedance, characteristic, 497
- Incompressibility, fluid, 735
- Incompressible fluids, MHD, 737
- Incompressible media, 380
- Incremental motions, *see* Linearization
- Independence of variables, 69, 97 (*see* Problem 3.16)
- Independent variables, change of, 72
- Index notation, 421, G7
- Inductance, calculation of, 22
 - electrical linearity and, 20
 - generalized, 17
 - quasi-static limit and, B18
- Induction, demonstration of motional, 253
 - law of, B9; *see also* Faraday's law
- Induction brake, 134
- Induction generator, 134
 - electric, 400
- Induction interaction, 367
- Induction law, integral, B32; *see also* Faraday's law
- Induction machine, 127
 - coefficient of coupling for, 135
 - distributed linear, 368
 - efficiency of, 134
 - equivalent circuit for, 131
 - loading of, 137
 - lumped-parameter, 368
 - MHD, 745
 - power flow in, 133
 - reactance and resistance dominated, 137
 - single phase, 138
 - squirrel-cage, 129
 - starting of, 137, 139
 - torque in, 132
 - torque-slip curve of, 135
 - variable resistance in, 136
 - wound rotor, 106
- Induction motor, 134
- Inductor, 17
- Inelastic behavior of solids, 699
- Influence coefficients, MHD, 822
 - variable-area MHD machine, 832
- Initial and boundary conditions, 513
- Initial conditions, convection and, 587
 - one-dimensional continuum, 488, 512
- Initial value problem, continuum, 488
- Instability, absolute, 566
 - and convective, 604
 - aeroelastic absolute, 793
 - convective, 601
 - dynamic, 192
 - electrohydrodynamic, 571
 - engineering limitations from convective, 604

- and equilibrium, example of, 185
- failure of a static argument to predict, 192
- fluid pendulum, 785
- fluid turbulence and, 725
- graphical determination of, 184
- heavy on light fluid, 571
- and initial conditions, 184
- kink, 627
- linear and nonlinear description of, 216
- nonconvective, 566
- nonlinearity and, 570
- omega- k plot for, 569
- plasma, 553
- in presence of motion, 583
- Rayleigh-Taylor, 571
- resistive wall, 576, 608
- space-time dependence of absolute, 570
- static, 182
- in stationary media, 554
- Integral laws, electromagnetic, 9, B32, E3, G3
- Integrated electronics, electromechanics and, 688
- Integration contour, deforming, 11, B32
- Internal energy, perfect gas, 816
- Invariance of equations, 256
- Inviscid fluid, boundary condition for, 752
- Ion beams, 552
- Ion conduction, moving fluid and, 778
- Ion drag, efficiency of, 782
- Ion-drag phenomena, 776
- Ionized gases, acceleration of, 746
- Ion source, 776
- Isotropic elastic media, 660
- Isotropy, B27

- Kinetic energy, 214
- Kirchhoff's current law, 16
- Kirchhoff's laws, 15
 - electromechanical coupling and, 84
 - Kirchhoff's voltage law, 16
- Klystron, 601
- Kronecker delta function, 421, G7

- Lagrangian coordinates, 652
 - surface in, 669
- Lagrangian description, 727
- Lagrangian to Eulerian descriptions, 483
- Lamé constant, 667
 - numerical values of, 677
- Laplace's equation, fluid dynamics and, 737
 - two-dimensional flow and, 751
- Leakage resistance of capacitors, 377
- Legendre transformation, 73
- Length expander bar, equivalent circuit for, 716
 - piezoelectric, 712
- Levitating force, induction, 369
- Levitation, electromechanical, 4, 195, 365, 370
 - demonstration of magnetic, 370
 - and instability, 574
 - of liquids, EHD, 552
 - MHD, 552
 - solid and liquid magnetic, 365
- Light, velocity of, B14
- Linearity, electrical, 20, 30, B27
- Linearization, continuum, 483, 510, 556, 652, 842
 - error from, 224
 - lumped-parameter, 182
- Linear systems, 180
- Line integration in variable space, 64, 67
- Liquid drops, charge-carrying, 388
- Liquid level gauge, 416
- Liquid metal brush, 878
 - numerical example of, 883
- Liquid metal MHD, numerical example of 750
- Liquid metals, pumping of, 746
- Liquid orientation in fields, 785
- Liquids, definition of, 724
- Liquids and gases, comparison of, 724
- Loading factor, MHD machine, 833
- Lodestone, B25
- Long-wave limit, 283, 574
 - thin elastic rod and, 683
- Lord Kelvin, 389
- Lorentz force, 419
- Loss-dominated dynamics, continuum, 576
- Loss-dominated electromechanics, 229, 249
- Loss-dominated systems, 227
- Losses, fluid joule, 815
- Loudspeaker, model for, 527
- Lumped-parameter electromechanics, 60
- Lumped-parameter variables, summary of, 35, E4, G4

- Mach lines, 624
- Mach number, 624, 823
- Macroscopic models, electromagnetic, B25
- Magnet, permanent, 27
- Magnetic axes of rotating machines, 105
- Magnetic circuit, example of, 22, 23
- Magnetic diffusion, 330, 335
 - charge relaxation compared to, 401
 - competition between motion and, 351
 - cylindrical geometry and, 408
 - effect of motion on, 354
 - electrical transient, 338
 - induction machines and, 746
 - initial conditions for, 339
 - limit, of infinite conductivity in, 343
 - of small conductivity in, 343
 - liquid metals and, 354
 - lumped-parameter models for, 331, 334, 336
 - sinusoidal steady-state, 358
 - sinusoidal steady-state with motion, 355
 - steady-state, 337, 347
 - steady-state in the moving frame, 351
 - traveling-wave moving media, 364
- Magnetic diffusion time, 341, 772
- Magnetic field, air-gap, 114
 - induced and imposed, 212, 286, 332
 - origin of earths, 336, 552
- Magnetic field compression, 354
- Magnetic field equations, insulating me-

- dium, 773
- Magnetic field intensity, 7, B25
- Magnetic field system, 6, B19
- differential equations for, 6, B20, E6, G6
- integral equations for, 10, B32, E3, G3
- Magnetic field transformation, example of, 266; *see also* Transformations
- Magnetic fluid, demonstration of, 777
- Magnetic flux density, 7, B6
- Magnetic flux lines, frozen, 763
- Magnetic force, field description of, 418, G11
- stress tensor for, 422, G11
- Magnetic forces and mechanical design, 697
- Magnetic induction negligible, B19
- Magnetic piston, 354
- Magnetic pressure, 369
- Magnetic Reynolds numbers, 333, 349, 351, 353, 357, 401, 628, 741, 821
- MHD flow, 754
- numerical value of, 354
- Magnetic saturation in commutator machines, 297
- Magnetic surface force, 447
- Magnetic tension, 767
- Magnetization, B25
- effect of free current forces on, 455
- magnetization currents, B25
- magnetization density, 7, B25
- magnetization force, fluids and, 772
- one degree of freedom and, 451
- magnetization force density, changes in density and, 461
- example of, 460
- inhomogeneity and, 460
- in moving media, 285
- summary of, 448, G11
- Magnetoacoustic velocity, 850
- Magnetoacoustic wave, 846
- electrical losses and, 860
- flux and density in, 851
- numerical example, in gas, 852
- in liquid, 853
- Magnetoelasticity, 553
- Magnetofluid dynamics, 551
- Magnetogasdynamics, 551
- Magneto hydrodynamic conduction machine, 740
- Magneto hydrodynamic generator, constant-area, 821
- variable-area, 828
- Magneto hydrodynamics, 551
- constant-area channel, 740
- viscosity and, 725
- Magneto hydrodynamics of viscous fluids, 878
- Magnetostriction, 697
- one degree of freedom and, 452
- Magnetostriction force, incompressible fluid and, 776
- Magnetostrictive coupling, 707
- Magnetostrictive transducer, terminal representation of, 711
- Mass, conservation of fluid, 729
- elastic continua, quasi-static limit of, 507
- lumped-parameter, 36, 43
- total, 46
- Mass conservation, 731
- Mass density, 45
- elastic materials, numerical values of, 486 of solid, 486
- numerical values of, 486, G12
- Mass per unit area of membrane, 509
- Mass per unit length of wire, 511
- Matched termination, 497
- Material motion, waves and instabilities with, 583
- Matter, states of, 724
- Maxwell, 1
- Maxwell's equations, B12
- limiting forms of, B14
- Maxwell stress tensor, 420, 441, G7, G11
- Mechanical circuits, 36
- Mechanical continuum, 479
- Mechanical equations, lumped-parameter, 49
- Mechanical input power, fluid, 756
- variable-area channel, 756
- Mechanical lumped-parameter equations, examples of, 49, 51, 53
- Mechanics, lumped-parameter, 35
- rigid body, 35
- transformations and Newtonian, 254
- Membrane, elastic continua and, 509, 535, electric field and, 574
- equations of motion for, 511, 535, G13
- two-dimensional modes of, 622
- Membrane dynamics with convection, 584
- Mercury, density and conductivity of, 750
- properties of, 883
- Meteorology, EHD and, 552
- MFD, 551; *see also* MHD
- MGD, 551; *see also* MHD
- MHD, 551
- compressible fluids and, 813
- liquid metal numerical example of, 750
- magnetic damping in, 750
- transient effects in, 746, 759
- transient example of, 750
- variable-area channel in, 751
- of viscous fluids, 878
- MHD conduction machine, 821, 828
- equivalent circuit for, 742
- pressure drop in, 742
- terminal characteristics of, 742
- MHD constant-area channel, 740, 820
- MHD flows, dynamic effects in, 746
- MHD generator, comparison of, 839
- compressibility and, 820
- constant voltage constrained, 743
- distribution of properties in, 827
- end effects in, 797
- examples of, 840, 841
- Mach number in, 823
- numerical example of, 826
- temperature in, 823
- variable-area channel, 828
- viscosity and, 725, 884

- MHD machine, compressible and incompressible, 825
 constant velocity, loading factor and aspect ratio, 834
 dynamic operation of, 746
 equivalent circuit for variable area, 756
 loading factor of, 833
 operation of brake, pump, generator, 744
 quasi-one-dimensional, 828
 steady-state operation of, 740
 velocity profile of, 891
- MHD plane Couette flow, 884
 MHD plane Poiseuille flow, 878
 MHD pressure driven flow, 884
 MHD pump or accelerator, 824
 MHD transient phenomena, 759
 MHD variable-area channel equations, conservation of energy and, 831, 833
 conservation of mass and, 831, 833
 conservation of momentum and, 831, 833
 local Mach number and, 823, 833
 local sound velocity and, 822, 833
 mechanical equation of state and, 816, 833
 Ohm's law and, 830, 833
 thermal equations of state and, 820, 833
- MHD variable-area machine, equations for, 833
- MHD variable-area pumps, generators and brakes, 751
- Microphone, capacitor, 201
 fidelity of, 204
 Microphones, 200
 Microwave magnetics, 553
 Microwave power generation, 552
 Mobility, 289, B31
 ion, 778
- Model, engineering, 206
 Modulus of elasticity, 485
 numerical values of, 486, G12
- Molecular weight of gas, 816
 Moment of inertia, 36, 48
- Momentum, conservation of, *see* Conservation of momentum
 Momentum density, fluid, 734
- Motor, commutator, 140, 291
 induction, 134
 reluctance, 156
 synchronous, 119
- Moving media, electromagnetic fields and, 251
- Mutual inductance, calculation of, 22
- Natural frequencies, 515
 dispersion equation and, 517
- Natural modes, dispersion and, 561
 kink instability, 635
 of membrane, 624, 625
 overdamped and underdamped, 583
 of unstable wire, 569
- Navier-Stokes equation, 872
 Negative sequence currents, 144
 Networks, compensating, 198
 Newtonian fluids, 861
- Newton's laws, 15, 35
 elastic media and, 653
 Newton's second law, 44, 50
 electromechanical coupling and, 84
 fluid and, 729, 731
- Node, mechanical, 36, 49
 Nonlinear systems, 206, 213
 Nonuniform magnetic field, motion of conductor through, 367
- Normal modes, 511
 boundary conditions and, 524
 Normal strain and shear stress, 662
 Normal stress and normal strain, 661
 Normal vector, analytic description of, 269
- Oerstad, 1, B25
 Ohm's law, 7, B30
 for moving media, 284, 298
- Omega- k plot, absolutely unstable wire, 567
 amplifying wave, 603
 convective instability, 603
 damped waves, complex k for real omega, 579
 elastic guided shear waves, 695
 electron oscillations, 601
 evanescent wave, 557, 559, 597, 615, 695
 moving wire, with destabilizing magnetic force, 603
 with resistive wall, complex k for real omega, 611
 with resistive wall, complex omega for real k , 610
 ordinary wave, with convection, 594
 on wires and membranes, 514
 ordinary waves, 514, 555
 unstable eigenfrequencies and, 569
 waves with damping showing eigenfrequencies, 582
 wire stabilized by magnetic field, 557
- Orientation, electrohydrodynamic, 571
 electromechanical, 4
 of liquids, dielectrophoretic, 785
 EHD, 552
- Orthogonality, eigenfunctions and, 341, 519, 520
- Oscillations, nonlinear, 226
 with convection, 596
- Oscillators in motion, 599
 Overstability, 192
- Particles, charge carriers and, 782
 Particular solution of differential equation, 180
- Pendulum, hydrodynamic, 746
 simple mechanical, 214
- Perfect conductor, no slip condition on, 769
 Perfect gas law, 816
 Perfectly conducting gas, dynamics of, 846
 Perfectly conducting media, *see* Conductor
 Permanent magnet, in electromechanics, 27
 example of, 28
 as rotor for machine, 127
- Permanent set, solids and, 700

- Permeability, 7, B27
 deformation and, 459
 density dependence of, 454
 free space, 7, B7
 Permittivity, 9, B30
 free space, 7, 9, B2
 Perturbations, 183
 Phase sequence, 144
 Phase velocity, 613
 diffusion wave, 358
 dispersive wave, 598
 membrane wave, 512
 numerical elastic compressional wave, 677
 numerical elastic shear wave, 677
 numerical thin rod, 486, G12
 ordinary wave, 487
 thin rod, 487
 wire wave, 512
 Physical acoustics, 553, 651
 Piezoelectric coupling, 711
 reciprocity in, 712
 Piezoelectric devices, example of, 717
 Piezoelectricity, 553, 711
 Piezoelectric length expander bar, 712
 Piezoelectric resonator, equivalent circuit for, 716
 Piezoelectric transducer, admittance of, 714
 Piezomagnetism, 553
 Plane motion, 44
 Plasma, confinement of, 552
 electromechanics and, 4
 evanescent waves in, 561, 638
 heating of, 552
 lumped-parameter model for, 223
 magnetic bottle for, 563
 magnetic diffusion and, 408
 MHD and, 553
 solid state, 553
 Plasma dynamics, 553
 Plasma frequency, 600
 Poiseuille flow, plane, 878
 Poisson's ratio, 662
 numerical values of, 666
 Polarization, effect of motion on, 290
 current, B29
 density, 7, B28
 electric, B27
 force, 463, 571, G11
 Polarization force, one degree of freedom, 464
 Polarization interactions, liquids and, 783
 Polarization stress tensor, 463, G11
 Pole pairs, 148
 Poles in a machine, 146
 Polyphase machines, 142
 Position vector, 45
 Positive sequence currents, 144
 Potential, electric, B9
 electromagnetic force, 738
 gravitational, 733
 mechanical, 214
 velocity, 737
 Potential difference, B10
 Potential energy, 214
 Potential flow, irrotational electrical forces and, 738
 Potential fluid flow, two-dimensional, 751
 Potential plot, 214
 Potential well, electrical constraints and, 217
 electromechanical system and, 217
 temporal behavior from, 224
 Power, conservation of, 64
 Power density input to fluid, 818
 Power factor, 126
 Power flow, group velocity and, 638
 ordinary and evanescent waves and, 638
 rotating machines and, 110
 Power generation, ionized gases and, 552
 microwave, 552, 553
 Power input, electrical, 64
 fluid electrical, 818
 mechanical, 64
 mechanical MHD, 743
 Power input to fluid, electric forces and, 819
 electrical losses and, 818, 819
 magnetic forces and, 818
 pressure forces and, 818
 Power output, electric MHD, 743
 Power theorem, wire in magnetic field, 637, 644
 Poynting's theorem, B22
 Pressure, density and temperature dependence of, 816
 hydrostatic, 735
 hydrostatic example of, 736
 incompressible fluids and significance of, 753
 isotropic, 735
 magnetic, 369
 normal compressive stress and, 735
 significance of negative, 753
 velocity and, 753
 Principal axes, 49
 Principal modes, 681
 elastic structure, 679
 shear wave, 695
 Principle of virtual work, *see* Conservation, of energy
 Products of inertia, 48
 Propagation, 613
 Propulsion, electromagnetic, 552
 electromechanical, 4
 MHD space, 746
 Pulling out of step for synchronous machine, 125
 Pump, electric field, 776
 electrostatic, 778
 liquid metal induction, 365
 MHD, 744, 746
 variation of parameters in MHD, 825
 Pumping, EHD, 552
 MHD, 552
 Quasi-one-dimensional model, charge relaxa-

- tion, 392, 394
- electron beam, 600
- gravity wave, 794
- magnetic diffusion, 347
- membrane, 509, 648
 - and fluid, 793
- MHD generator, 828
- thin bar, 712
- thin beam, 683
- thin rod, 480, 681
- wire or string, 509
 - in field, 556, 563, 574, 605, 627
- Quasi-static approximations, 6, B17
- Quasi-static limit, sinusoidal steady-state and, 515, 534
 - wavelength and, B17
 - wire and, 534
- Quasi-statics, conditions for, B21
 - correction fields for, B21
 - elastic media and, 503
 - electromagnetic, B19
- Quasi-static systems, electric, 8
 - magnetic, 6
- Radiation, heat, 815
- Rate of strain, 864
- Reactance-dominated dynamics, 138, 211, 220, 242, 336, 354, 368, 563, 759
- Reciprocity, electromechanical coupling and, 77
 - piezoelectric coupling and, 713
- Reference system, inertial, 44
- Regulation, transformer design and, 699
- Relative displacement, rotation, strain and, 658
- Relativity, Einstein, 254
 - Galilean, 255
 - postulate of special, 261
 - theory of, 44
- Relaxation time, free charge, 372
 - numerical values of, 377
- Relay, damped time-delay, 229
- Reluctance motor, 156
- Resistance-dominated dynamics, 138, 209, 233, 242, 336, 354, 368, 503, 583, 611
 - MHD, 750
- Resistive wall damping, continuum, 583
- Resistive wall instability, nature of, 612
- Resistive wall wave amplification, 608
- Resonance, electromechanically driven continuum and, 533
 - response of continua and, 515
- Resonance frequencies, magnetic field shift of, 563
 - membrane, 624
 - natural frequencies and, 515
- Resonant gate transistor, 688
- Response, sinusoidal steady-state, 181, 200, 514
- Rigid body, 44
- Rigid-body mechanics, 35
- Rotating machines, 103
 - air-gap magnetic fields in, 114
 - applications of, 3
 - balanced two-phase, 113
 - classification of, 119
 - commutator type, 140, 255, 292
 - computation of mutual inductance in, 22
 - dc, 140, 291
 - differential equations for, 106
 - effect of poles on speed of, 149
 - electric field type, 177
 - energy conversion conditions for, 110
 - energy conversion in salient pole, 154
 - equations for salient pole, 151
 - hunting transient of synchronous, 192
 - induction, 127
 - losses in, 109
 - magnetic saturation in, 106
 - mutual inductance in, 108
 - number of poles in, 146
 - polyphase, 142
 - power flow in, 110
 - salient pole, 103, 150
 - single-phase, 106
 - single-phase salient-pole, 79
 - smooth-air-gap, 103, 104
 - stresses in rotor of, 697
 - superconducting rotor in, 92
 - synchronous, 119
 - two-phase, smooth-air-gap, 111
 - winding distribution of, 108
- Rotating machines, physical structure,
 - acyclic generator, 287
 - commutator type, 292
 - dc motor, 293
 - development of dc, 295
 - distribution of currents and, 166, 169
 - four-pole, salient pole, 164
 - four-pole, single phase, 147
 - homopolar, 313
 - hydroelectric generator, 152
 - multiple-pole rotor, 146
 - rotor of induction motor, 107
 - rotor of salient-pole synchronous, 151
 - synchronous, salient-pole, 152
 - salient-pole, two phase, 158
 - salient-pole, single phase, 150
 - smooth-air-gap, single phase, 104
 - stator for induction motor, 106
 - three-phase stator, 145
 - turboalternator, 120
 - two-pole commutator, 294
- Rotation, fluid, 865
- Rotation vector, 658
- Rotor of rotating machines, 104, 107, 112, 120, 146, 147, 150, 151, 152, 158, 164, 166, 169
- Rotor teeth, shield effect of, 301
- Saliency in different machines, 156
- Salient-pole rotating machines, 103, 150
- Salient poles and dc machines, 293
- Servomotor, 140
- Shading coils in machines, 139
- Shear flow, 862, 864, 875

- magnetic coupling, 878
- Shear modulus, 664
 - numerical values of, 666
- Shear rate, 866
- Shear strain, 543, 655
 - normal strain and, 663
 - shear stress and, 664
- Shear stress, 543
- Shear waves, elastic slab and, 693
- Shearing modes, beam principal, 683
- Shock tube, example related to, 276
- Shock waves, supersonic flow and, 592
- Sinusoidal steady-state, 181, 200, 514
 - convection and establishing, 592
- Sinusoidal steady-state response, elastic continua, 514
- Skin depth, 357
 - numerical values of, 361
- Skin effect, 358
 - effect of motion on, 361
- Slip of induction machine, 131
- Slip rings, 120
 - ac machines and, 120
- Slots of dc machine, 296
- Sodium liquid, density of, 771
- Solids, definition of, 724
- Sound speed, gases, 844
 - liquids, 845
- Sound velocity, *see* Velocity
- Sound waves, *see* Acoustic waves
- Source, force, 37
 - position, 36
 - velocity, 37
- Space charge, fluid and, 780
- Space-charge oscillations, 601
- Speakers, 200
- Specific heat capacity, constant pressure, 817
 - constant volume, 816
 - ratio of, 817
- Speed coefficient, of commutator machine, 300
 - torque on dc machine and, 302
- Speed control of rotating machines, 149
- Speedometer transducer, 170
- Speed voltage in commutator machine, 299
- Spring, linear ideal, 38
 - lumped element, 36, 38
- quasi-static limit of elastic continua and, 505
- torsional, 40
- Spring constant, 39
- Stability, 182, 566, 583
- Stagnation point, fluid, 752
- Standing waves, electromagnetic, B16
 - electromechanical, 516, 559, 596, 771
- State, coupling network, 61, 65
 - thermal, 816
- Stator, of rotating machines, 104, 106, 120, 145, 147, 150, 152, 158, 164, 166, 169
 - smooth-air-gap, 103
- Stinger, magnetic, 193
- Strain, formal derivation of, 656
 - geometric significance of, 654
 - normal, 654
 - permanent, 700
 - shear, 543, 654
 - as a tensor, 659
 - thin rod, normal, 484
- Strain components, 656
- Strain-displacement relation, 653
 - thin-rod, 485
- Strain rate, 724, 864
 - dilatational, 869
- Strain-rate tensor, 864
- Streaming electron oscillations, 600
- Streamline, fluid, 752
- Stress, fluid isotropy and, 868
 - fluid mechanical, 872
 - hydrostatic, 724
 - limiting, 700
 - normal, 432
 - shear, 432, 543
 - and traction, 424, G9
- Stress components, 425
- Stress-strain, nonlinear, 700
- Stress-strain rate relations, 868
- Stress-strain relation, 660, 668
 - thin-rod, 485
- Stress-tensor, elastic media and, 667
 - example of magnetic, 428
 - magnetization, 462, G11
 - Maxwell, 420
 - physical interpretation of, 425, G7
 - polarization, 463, G11
 - pressure as, 735
 - properties of, 423, G7
 - surface force density and, 446, G9
 - symmetry of, 422
 - total force and, 444, G9
- Stress tensors, summary of, 448, G11
- String, convection and, 584
 - equation of motion for, 511, 535
 - and membrane, electromechanical coupling to, 522
- see also* Wire
- Subsonic steady MHD flow, 823
- Subsonic velocity, 587
- Substantial derivative, 259, 584, 726; *see also* Convective derivative
- Summation convention, 421, G7
- Superconductors, flux amplification in, 354
- Supersonic steady MHD flow, 823
- Supersonic steady-state dynamics, 524
- Supersonic velocity, 587
- Surface charge density, free, 7
- Surface conduction in moving media, 285
- Surface current density, free, 7
- Surface force, example of, 449
 - magnetization, 775
- Surface force densities, summary of, 448, G11
- Surface force density, 445, G11
 - free surface charge and, 447, G11
 - free surface currents and, 447, G11
- Surface tension, 605
- Susceptance, electromechanical driving, 531
- Susceptibility, dielectric, 9, B30
 - electric, 9, B30
 - magnetic, 7, B27
- Suspension, magnetic, 193

- Symbols, A1, D1, F1
- Symbols for electromagnetic quantities, 7
- Synchronous condenser, 127
- Synchronous machine, 119
 - equivalent circuit of, 123
 - hunting transient of, 192
 - phasor diagram for, 124, 162
 - polyphase, salient-pole, 157
 - torque in, 122, 123, 125
 - torque of salient-pole, two-phase, 160, 162
- Synchronous motor, performance of, 126
- Synchronous reactance, 123
- Synchronous traveling-wave energy conversion, 117

- Tachometer, drag-cup, 363
- Taylor series, evaluation of displacement
 - with, 483
 - multivariable, 187
 - single variable, 183
- Teeth of dc machine, 296
- Temperature, electrical conductivity and, 380
- Tension, of membrane, 509
 - of wire, 511
- Tensor, first and second order, 437
 - one-dimensional divergence of, 482
 - surface integration of, 428, 441, 444, G9
 - transformation law, 437, G10
 - transformation of, 434, G9
- Tensor strain, 659
- Tensor transformation, example of, 437
- Terminal pairs, mechanical, 36
- Terminal variables, summary of, 35, E4, G4
- Terminal voltage, definition of, 18
- Theorems, C2, E2, G2
- Thermonuclear devices, electromechanics
 - and, 4
- Thermonuclear fusion, 552
- Theta-pinch machine, 408
- Thin beam, 683
 - boundary conditions for, 687
 - cantilevered, 688
 - deflections of, 691, 692
 - eigenvalues of, 692
 - electromechanical elements and, 688, 691, 701, 704
 - equation for, 687
 - resonance frequencies of, 692
 - static loading of, 701
- Thin rod, 681
 - boundary conditions for, 494
 - conditions for, 683
 - equations of motion for, 485, G13
 - force equation for, 484
 - longitudinal motion of, 480
 - transverse motions of, 682
- Three-phase currents, 143
- Time constant, charge relaxation, 372
 - magnetic diffusion, 341
- Time delay, acoustic and electromagnetic, 499
- Time-delay relay, electrically damped, 249
- Time derivative, moving coordinates and, 258
- Time rate of change, moving grain and, 727
- Torque, dc machine, 302
 - electrical, 66
 - Lorentz force density and, 301
 - pull-out, 124
- Torque-angle, 123
- Torque-angle characteristic of synchronous machine, 125
- Torque-angle curve, salient-pole synchronous machine, 163
- Torque-slip curve for induction machine, 135
- Torque-speed curve, single phase induction machine, 139
- Torsional vibrations of thin rod, 543
- Traction, 424, 432
 - pressure and, 735
 - stress and, 432, G9
- Traction drives, 310
- Transducer, applications of, 2
 - continuum, 704
 - example of equations for, 84, 86
 - fidelity of, 203
 - incremental motion, 180, 193, 200
 - Magnetostrictive, 708
- Transfer function capacitor microphone, 204
- electromechanical filter, 706
- Transformations, electric field system, 264
 - Galilean coordinate, 254, 256
 - integral laws and, 11, 276, 300, 315, B32
 - Lorentz, 254
 - Lorentz force and, 262
 - magnetic field system, 260
 - primed to unprimed frame, 439
 - summary of field, 268, E6, G6
 - vector and tensor, 434, G9
- Transformer, electromechanical effects in, 697
 - step-down, 698
 - tested to failure, 698
- Transformer efficiency, mechanical design
 - and, 699
- Transformer talk, 697
- Transient response, convective instability, 621
 - elastic continua, 517
 - MHD system, 751
 - one-dimensional continua, 511
 - superposition of eigenmodes in, 518
 - supersonic media, 593
- Transient waves, convection and, 587
- Transmission line, electromagnetic, B16
 - parallel plate, B15
 - thin rod and, 488
- Transmission without distortion in elastic structures, 696
- Traveling wave, 487
 - convection and, 586
 - magnetic diffusion in terms of, 357
 - single-phase excitation of, 118
 - standing wave and, 116
 - two-dimensional, 622
 - two-dimensional elastic, 694
 - two-phase current excitation of, 116
- Traveling-wave induction interaction, 368
- Traveling-wave MHD interaction, 746
- Traveling-wave solutions, 554
- Traveling-wave tube, 602
- Turboalternator, 120
- Turbulence in fluids, 725
- Turbulent flow, 43

- Ultrasonic amplification, 602
- Ultrasonics in integrated electronics, 688
- Units of electromagnetic quantities, 7
- Van de Graaff generator, example of, 383, 385
 - gaseous, 778
- Variable, dependent, 180
 - independent, differential equation, 180
 - thermodynamic independent, 64
- Variable capacitance continuum coupling, 704
- V curve for synchronous machine, 125
- Vector, transformation of, 434, 659
- Vector transformation, example of, 435
- Velocity, absolute, 44
 - acoustic elastic wave, 673, 677
 - acoustic fluid wave, 844, 846
 - Alfvén wave, 763, 772
 - charge-average, B5
 - charge relaxation used to measure, 396
 - charge relaxation wave, 395
 - compressional elastic wave, 673, 677
 - dilatational elastic wave, 673, 677
 - elastic distortion wave, 675, 677
 - fast and slow wave, 586
 - light wave, B14
 - magnetic diffusion wave, 358
 - magnetic flux wave, 114
 - magnetoacoustic wave, 850, 852
 - measurement of material, 356, 362
 - membrane wave, 512
 - phase, 488
 - shear elastic wave, 675, 677
 - thin rod wave, 486, 487, 682
 - wavefront, 618
 - with dispersion, 598
 - wire or string wave, 512
- Velocity potential, 737
- Viscosity, 862
 - coefficient of, 863
 - examples of, 875
 - fluid, 724
 - mathematical description of, 862
 - second coefficient of, 871
- Viscous flow, pressure driven, 877
- Viscous fluids, 861
- Viscous losses, turbulent flow, 725
- Voltage, definition of, B10
 - speed, 20, 21
 - terminal, 18
 - transformer, 20, 21
- Voltage equation, Kirchhoff, 16
- Ward-Leonard system, 307
- Water waves, 794
- Wave amplification, 601
- Wave equation, 487
- Wavenumber, 357, 513
 - complex, 554, 607
- Wave propagation, 487
 - characteristics and, 487, 586, 618
 - group velocity and, 616
 - phase velocity and, 613
- Wave reflection at a boundary, 493
- Waves, acoustic elastic, 673
 - acoustic in fluid, 544, 841, 842, 845
 - Alfvén, 759
 - compressional elastic, 673
 - convection and, 586
 - cutoff, *see* Cutoff waves
 - damping and, 576
 - diffusion, 355, 576
 - dilatational, 672
 - dispersionless, 555
 - dispersion of, 488
 - of distortion, 675
 - elastic shear, 678
 - electromagnetic, B13, 488
 - electromechanical in fluids, 759
 - evanescent, *see* Evanescent waves
 - fast and slow, 586
 - fast and slow circularly polarized, 631
 - fluid convection and, 860
 - fluid shear, 760
 - fluid sound, 813
 - incident and reflected at a boundary, 494
 - light, B13
 - longitudinal elastic, 673
 - magnetoacoustic, 841, 846
 - motion and, 583
 - plasma, 553, 600, 638
 - radio, B13
 - rotational, 671
 - shear elastic, 675
 - stationary media and, 554
 - surface gravity, 794
 - thin rod and infinite media, 673
- Wave transients, solution for, 490
- Wind tunnel, magnetic stinger in, 193
- Windings, balanced two-phase, 113
 - dc machine, 292
 - lap, 296
 - wave, 296
- Wire, continuum elastic, 509, 535
 - convection and dynamics of, 584
 - dynamics of, 554
 - equations of motion for, 511, G13
 - magnetic field and, 556, 566, 627
 - two-dimensional motions of, 627
- Yield strength, elastic, 700
- Young's modulus, 485, G12
- Zero-gravity experiments, KC-135 trajectory and, 787